itanacoiora.com	MTN WATER BA Code: AX0000W 03					
sion: 6	Revision: 21/10/2	2016 Previous	revision: 06/11/2015			Date of printing: 28/03/2018
TION 1 - IDE	INTIFICATION: PRO	DUCT IDENT IF IE R AND CHEMI				
PRODL	JCT IDENTIFIER		MTN WATER BAS	ED		
OTHER	R MEANS OF IDENTIF	-ICATION	Code: AX0000W03	3		
Intende Paint. Sectors Frofess # Cons Uses au # This Restric Not res DETA L MONTA Unit 13 Phone: Electron e-mail:	d uses (main technica s of use: sional uses (SU22). sumer uses (SU21). dvised against: product is not recomm tions on use stricted. S OF MANUFACTUR	hended for any use or sector of ER OR IMPORTER ALIA PTY LTD. • Marrickville NSW 2204, AUST kors.com	use (industrial, profess	sional or consume) other th		rial [X] Professional [X] Consumer:
TION 2 - HA	ZARD(S) IDENTIFICA	SER: +61 (0) 295505997 (9:00- TION SUBSTANCE OR MIXTURE: a with the GHS under the WHS I		s)		
WARN	IING: Flam. Aerosol 2:H					
Danger	class	Classification of the mixture	Cat.	Routes of exposure	Target organs	Effects
Physic Human Not clas	health:	Flam. Aerosol 2:H223+H229	Cat.2	-	-	
Enviror Not clas						
Fulltext		mentioned is indicated in secting		ntal hazards describe the e	ffects of the highest concentra	ation of each component, but

If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Do not breathe aerosol. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Dispose of contents/container in accordance with local regulations.

None. Substances that contribute to classification:

None in a percentage equal to or higher than the limit for the name.

OTHER HAZARDS

Supplementary statements:

P101

P102

P103

P210

P211

P251

P501a

P271-P260d

P410+P412

 Hazards which do not result in classification but which may contribute to the overall hazards of the mixture:

 Other physicochemical hazards:
 Vapours may for mwith ar a mixture potentially flammable σ explosive.

 Other adverse human health effects:
 Prolonged exposure to vapours may produce transient drowsiness. Prolonged contact may cause skin dryness.

 Other negative environmental effects:
 Does not contain substances that fulfil the PBT/vPvB criteria.

In accordance with the Work Health and Safety Act Section 274 and the Work Health and Safety Regulations

ance with t	he Work Health and Safety Act Section 274 and the Work Health and Safety Regulations	
n polors.com	MTN WATER BASED Code: AX0000W 03	
DN 3 - COI	MPOSITION AND INFORMATION ON INGREDIENTS	
SUBST/		
Not app	licable (mixture).	
	RES: oduct is a mixture.	
	al description:	
Aerosol	L	
	DOUS INGREDIENTS:	
Substar	nces taking part in a percentage higher than the exemption limit:	
3	0 < 40 % Dimethyl ether	
	Danger: Flam. Gas 1:H220 Press. Gas:H280	
	0 < 25 % Ethyl alcohol CAS: 64-17-5 , EC: 200-578-6	
	CAS: 64-17-5 , EC: 200-578-6 Danger: Flam. Liq. 2:H225 Eye Irrit. 2:H319	
	1 < 2 % Isopropyl alcohol	
	CAS: 67-63-0 , EC: 200-661-7 Danger: Flam. Lig. 2:H225 Eye Irrit. 2:H319 STOT SE (narcosis) 3:H336	
		
Impuritie Does no	es:	
Stabilici	ng additives:	
None		
Referen	ce to other sections:	
For mor	re information, see sections 8, 11, 12 and 16.	
	ANCES OF VERY HIGH CONCERN (SVHC):	
	ated by ECHA on 15/01/2018. Ices SVHC subject to authorisation, included in Annex XIV of Regulation (EC) no. 1907/2006:	
None		
<u>Substan</u> None	ices SVHC candidate to be included in Annex XIV of Regulation (EC) no. 1907/2006:	
PERSIST	ENT, BIOACCUMULABLE AND TOXIC PBT, OR VERY PERSISTENT AND VERY BIOACCUMULABLE VPVB SUBSTANCES:	

Does not contain substances that fulfil the PBT/vPvB criteria.

mtn

In accordance with the Work Health and Safety Act Section 274 and the Work Health and Safety Regulations



*

SECTION 4 - FIRST-AID MEASURES

DESCRIPTION OF NECESSARY FIRST AID MEASURES

MTN WATER BASED

Code: AX0000W 03



Symptoms may occur after exposure, so that in case of direct exposure to the product, when in doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

Route of exposure	Symptoms and effects, acute and delayed	Description of first-aid measures
Inhalation:	Usually produces no symptoms.	Should there be any symptoms, transfer the person affected to the open air.
<u>Skin:</u>	Prolonged contact may cause skin dryness.	Remove contaminated clothing. Wash thoroughly the affected area with plenty of cold or lukewarm water and neutral soap, or use a suitable skin cleanser. Do not use solvents or thinners.
<u>Eyes:</u>	Contact with the eyes produces redness and pain.	Remove contact lenses. Rinse eyes copiously by irrigation with plenty of clean, fresh water, holding the eyelids apart. If irritation persists, consult a physician.
Ingestion:	If swallowed in high doses, may cause gastrointestinal disturbances.	If swallowed, seek immediate medical attention. Do not induce vomiting. Keep the patient at rest.

SYMPTOMS CAUSED BY EXPOSURE

The main symptoms and effects are indicated in sections 4.1 and 11

MEDICALATTENTIONAND SPECIAL TREATMENT

Information on clinical testing and medical monitoring: Treatment should be directed at the control of symptoms and the clinical condition of the patient. Antidotes and contraindications: Specific antidote not known.

SECTION 5 - FIRE-FIGHTING MEASURES

SUITABLE EX TINGUIS HING EQUIPMENT

Extinguishing powder or CO2. In the case of more important fires, also alcohol resistant foam and water spray/mist. Do not use for extinguishing: direct water jet. Direct water jet may not be effective to extinguish the fire, since the fire may spread.

SPECIFIC HAZARDS ARISING FROMTHE CHEMICAL

Decomposes when heated intensely. As consequence of combustion or thermal decomposition, hazardous products may be produced: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products may be a hazard to health.

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS

Special protective equipment: Depending on magnitude of fire, heat-proof protective clothing may be required, appropriate independent breathing apparatus, gloves, protective glasses or face masks and boots. If the fire-proof protective equipment is not available or is not being used, combat fire from a sheltered position or from a safe distance. The standard EN469 provides a basic level of protection for chemical incidents.

Other recommendations: Cool with water the tanks, cisterns or containers close to sources of heat or fire. Bear in mind the direction of the wind. Do not allow fire-fighting residue to enter drains, sewers or water courses.

Hazchem (Emergency Action) Code: # 2YE

SECTION 6 - ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

Eliminate possible sources of ignition and when appropriate, ventilate the area. Do not smoke. Avoid direct contact with this product. Avoid breathing vapours. Keep people without protection in opposition to the wind direction.

ENVIRONMENTAL PRECAUTIONS:

Avoid contamination of drains, surface or subterranean water and soil. In the case of large scale spills or when the product contaminates lakes, rivers or sewages, inform the appropriate authorities in accordance with local regulations.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP:

Contain and mop up spills with non-combustible absorbent materials (earth, sand, vermiculite, diatomaceous earth, etc..). Avoid use of solvents. Keep the remains in a closed container.

In accordance with the Work Health and Safety Act Section 274 and the Work Health and Safety Regulations

WW.montanacolors.com	MTN WATER BASED Code: AX0000W 03							
SECTION 7 - H	ANDLING AND STORAGE							
	AUTIONS FOR SAFE HANDLING:							
	y with the existing legislation on health and safety at work.							
	al recommendations:							
	any type of leakage or escape.							
	mendations for the prevention of fire and explosion risks:							
	urised container. Protect from sunlight and do not expose to tempe	rature exc	eeding	50°C. Do	o not pierc	e or burn, even after use. Do r	not spray on a	a naked flame or any
	lescent material. Do not smoke.							
	h point	:			-35.			
	bignition temperature	:	#		289.			
	er/lower flammability or explosive limits	:	#	3.	.3 - 23.4	% Volume 25°C		
	mendations for the prevention of toxicological risks:							
	applying the product directly to people, animals, plants or foodstuffs			c or smol	ke in appli	cation and drying areas. After I	handling, was	h hands with soap
	ater. For exposure controls and personal protection measures, see	e section 8						
	mendations for the prevention of environmental contamination:							
lt is no	ot considered a danger to the environment. In the case of accidenta	al spillage, t	ollow the	e instruc	ctions indi	cated in section 6.		
0010		TIFO						
	ITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILI						-	
	the entry to unauthorized persons. Keep out of reach of children.			uld be sto	ored isolate	ed from heat and electrical sour	rces. Do not s	smoke in storage
	If possible, avoid direct contact with sunlight. For more information,	, see secti						
	of storage	:		•	current leg	gislation.		
	um storage period	:		nonths		aa <i>i</i> b		
	rature interval	:	min:	5. ⁰C,	max: 50.	°C (recommended).		
	patible materials:							
	away from oxidixing agents, from strongly alkaline and strongly acid	d materials	•					
	of packaging:							
	ding to current legislation.							
	uantity (Seveso III):							
# Not	applicable.							
SDEC	IFIC END USES:							
SPEC	IFICEIND USES.							

For the use of this product do not exist particular recommendations apart from that already indicated.

RELEVANT EXPOSURE SCENARIOS:

Not required for this material, since it is not classified as dangerous for the health and it is not classified as dangerous for the environment.

mtn

In accordance with the Work Health and Safety Act Section 274 and the Work Health and Safety Regulations



SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

EXPOSURE CONTROL MEASURES

Code: AX0000W 03

MTN WATER BASED

If a product contains ingredients with exposure limits, may be necessary a personnel monitoring, work place or biological, to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to EN689, EN14042 and EN482 standard concerning methods for assessing the exposure by inhalation to chemical agents, and exposure to chemical and biological agents. Reference should be also made to national guidance documents for methods for the determination of dangerous substances.

EXPOSURE STANDAR DS (TLV) AG CIH-2017: Not established.

BIOLOGICAL MONITORING:

Not available

In accordance with the Work Health and Safety Act Section 274 and the Work Health and Safety Regulations

*

MTN WATER BASED

CONTROL BANDING:

ENGINEERING CONTROLS:



Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these measures are not sufficient to maintain concentrations of particulates and vapours below the Occupational Exposure Limits, suitable respiratory protection must be worn.

Protection of respiratory system: Avoid the inhabition of vapours.

Protection of eyes and face: It is recommended to install water taps or sources with clean water close to the working area. Protection of hands and skin: It is recommended to install water taps or sources with clean water close to the working area. Barrier creams may help to protect the exposed areas of the skin. Barrier creams should not be applied once exposure has occurred.

INDIVIDUAL PROTECTION MEASURES, FOR EXAMPLE PERSONAL PROTECTIVE EQUIPMENT (PPE):

As a general measure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment (PPE), with the corresponding EC marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and characteristics of the PPE, protection class, marking, category, CEN norm, etc..), you should consult the informative brochures provided by the manufacturers of PPE.

Mask:	Suitable combined filter mask for gases, vapours and particles (EN14387/EN143). Class 1: low capacity up to 1000 ppm, Class 2: medium capacity up to 5000 ppm, Class 3: high capacity up to 10000 ppm. In order to obtain a suitable protection level, the filter class must be selected depending on the type and concentration of the contaminating agents present, in accordance with the specifications supplied by the filter producers.
Safety goggles:	Safety goggles with suitable lateral protection (EN166). Clean daily and disinfect at regular intervals in accordance with the instructions of the manufacturer.
Face shield:	No.
Gbves:	Gloves resistant against chemicals (EN374). There are several factors (for example, temperature), they do in practice the period of use of a protective gloves resistant against chemicals is clearly lower than the established standard EN374. Due to the wide variety of circumstances and possibilities, the instructions/specifications provided by the glove supplier should be taken into account. The gloves should be immediately replaced when any sign of degradation is noted.
Boots:	No.
Apron:	No.
<u>Clothing:</u>	No.

Thermal hazards:

Not applicable (the product is handled at room temperature).

ENVIRONMENTAL EXPOSURE CONTROLS:

Avoid any spillage in the environment. Avoid any release into the atmosphere.

Spills on the soil: Prevent contamination of soil.

Spills in water: Do not allow to escape into drains, sewers or water courses.

- Water Management Act: # This product does not contain any substance included in the list of priority substances in the field of water policy under Directive 2000/60/EC-2013/39/EU.

Emissions to the atmosphere: Because of volatility, emissions to the atmosphere while handling and use may result. When possible, avoid solvent release to the atmosphere; do not pulverize more than is strictly necessary.

- <u>VOC (industrial installations):</u> # If this product is used in an industrial installation, it must be verified if it is applicable the Directive 2010/75/EC, on the limitation of emissions of volatile compounds due to the use of organic solvents in certain activities and installations: Solvents : 56.7% Weight, VOC (supply) : 56.7% Weight, VOC : 29.7% C (expressed as carbon), Molecular weight (average) : 46.7, Number C atoms (average) : 2.0.

In accordance with the Work Health and Safety Act Section 274 and the Work Health and Safety Regulations

*

mtn Code: AX0000W 03 8

MTN WATER BASED

Appearance						
- Physical state	:	Aerosol.				
- Colour	:	Diverse.				
- Odour	:	Characte	eristic.			
- Odour threshold	:	Not avail	able (mi:	xture).		
<u>pH-value</u>						
- pH	:	Not avail	able			
Change of state						
- Melting point	1	Not appli	cable (m	ixture).	
- Initial boiling point	:	Not appli	cable			
Density						
- Vapour density	:	Not avail	able			
- Relative density	1	#	().852	at 20/4ºC	Relative water
Stability						
- Decomposition temperature	:	Not avail	able			
Viscosity:						
- Viscosity (flow time)	1	Not appli	cable			
Volatility:						
- Evaporation rate	:	Not appli				
- Vapour pressure	:	Not avail	able			
Solubility(ies)						
- Solubility in water:	:	Not misc	ible			
- Liposolubility	1	Not appli	cable			
Flammability:						
- Flash point	1			-35.	°C	
 Upper/lower flammability or explosive limits 	1	#	3.3 -		% Volume 25°C	
- Autoignition temperature	:	#		289.	°C	
Explosive properties:						
Vapours can form explosive mixtures with air and are able to f	ame up or explode in	presence	ofanign	ition s	ource.	
Oxidizing properties:						
Not classified as oxidizing product.						
*Estimated values based on the substances composing the mi	xture.					

- Solids		:	#	23.1	% Weight
- VOC (supply)		1	#	56.7	% Weight
 VOC (supply) 		:	#	482.7	g/l

The values indicated do not always coincide with product specifications. The data for the product specifications can be found in the corresponding technical data sheet. For additional information concerning physical and chemical properties related to safety and environment, see sections 7 and 12.

SECTION 10 - STABILITY AND REACTIVITY

REACTIVITY:

Corrosivity to metals: It is not corrosive to metals. Pyrophorical properties: It is not pyrophoric.

CHEMICAL STABILITY: Stable under recommended storage and handling conditions.

POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing agents, acids.

CONDITIONS TO AVOID:

Heat: Keep away from sources of heat. Light: Avoid direct contact with sunlight.

Air: The product is not affected by exposure to air, but should not be left the containers open

Pressure: Not relevant.

Shock: The product is not sensitive to shocks, but as a recommendation of a general nature should be avoided bumps and rough handling to avoid dents and breakage of packaging, especially when the product is handled in large quantities, and during loading and download operations.

INCOMPATIBLE MATERIALS:

Keep away from oxidixing agents, from strongly alkaline and strongly acid materials.

HAZARDOUS DECOMPOSITION PRODUCTS:

As consequence of thermal decomposition, hazardous products may be produced: carbon monoxide.

mtn

In accordance with the Work Health and Safety Act Section 274 and the Work Health and Safety Regulations

L	$\mathbf{\nabla}$

SECTION 11 - TOXICOLO GICAL INFORMATION

No experimental toxicological data on the preparation is available. The toxicological classification for these mixture has been carried out by using the conventional calculation method of the Regulation (EU) No. 1272/2008~2017/776 (CLP).

INFORMATION ON TOXICOLOGICAL EFFECTS:

MTN WATER BASED

Code: AX0000W 03

A	CUTE TOXICITY:			
fo D	ose and lethal concentrations or individual ingredients : imethyl ether thyl alcohol	DL50 (OECD 401) mg/kg oral 10470. Rat	DL50 (OECD 402) mg/kg cutaneous > 20000. Rabbit	CL50 (OECD 403) mg/m3.4h inhalation > 100000 Rat > 20000. Rat
	opropyl alcohol	5045. Rat	12800. Rabbit	> 72600. Rat

No observed adverse effect level Not available

Lowest observed adverse effect level

Not available

INFORMATION ON POSSIBLE ROUT ES OF EX POSURE: Acute toxicity:

Routes of exposure	Acute toxicity	Cat.	Main effects, acute and/or delayed
Inhalation: Not classified	ATE > 2 000 mg <i>l</i> m3	-	Not classified as a product with acute toxicity if inhaled (based on available data, the classification criteria are not met).
<u>Skin:</u> Not classified	ATE > 2000 mg/kg	-	Not classified as a product with acute toxicity in contact with skin (based on available data, the classification criteria are not met).
Eves: Not classified	Not available	-	Not classified as a product with acute toxicity by eye contact (lack of data).
Ingestion: Not classified	ATE > 5 000 mg/kg	-	Not classified as a product with acute toxicity if swallowed (based on available data, the classification criteria are not met).

CORROSION / IRRITATION / SENSITISATION :

CORROSION/IRRITATION/SENSITISATION	<u>-</u>		
Danger class	Target organs	Cat.	Main effects, acute and/or delayed
Respiratory corrosion/irritation: Not classified	-	-	Not classified as a product corrosive or irritant by inhalation (based on available data, the classification criteria are not met).
Skin corrosion/irritation: Not classified	-	-	Not classified as a product corrosive or irritant in contact with skin (based on available data, the classification criteria are not met).
Serious eye damage/irritation: Not classified	-	-	Not classified as a product corrosive or irritant in contact with eyes (based on available data, the classification criteria are not met).
Respiratory sensitisation: Not classified	-	-	Not classified as a product sensitising by inhalation (based on available data, the classification criteria are not met).
Skin sensitisation: Not classified	-	-	Not classified as a product sensitising by skin contact (based on available data, the classification criteria are not met).

ASPIRATION HAZ ARD:

Danger class	Target organs	Cat.	Main effects, acute and/or delayed
Aspiration hazard: Not classified	-	-	Not applicable.

SPECIFIC TARGET ORGANS TOXICITY (STOT): Single exposure (SE) and/or Repeated exposure (RE):

Not classified as a dangerous product for target organs (based on available data, the classification criteria are not met).

CMR EFFECTS:

Carcinogenicity: It is not considered as a carcinogenic product.

Germ cell mutagenicity: It is not considered as a mutagenic product. Reproductive toxicity: Does not harm fertility. Does not har mthe unborn child. Effects via lactation: Not classified as a hazardous product for children breast-fed.

In accordance with the Work Health and Safety Act Section 274 and the Work Health and Safety Regulations

	MTN WATER BASED Code: AX0000W 03				
Ro Ea eff irr De ab No No <u>INF</u> Ba OT No	LAYED AND IMMEDIATE EF FECTS AS WELLAS CHRONIC EFFECTS FROM utes of exposure: May be absorbed by inhalation of vapour, through the skin a <u>w onset symptoms related to exposure</u> : Exposure to solvent vapour concentra acts, such as mucous membrane and respiratory system irritation and adverse tation and reversible damage. If swallowed, may cause irritation of the throat; of ayed health effects from exposure: Repeated or prolonged contact may cause sorption through the skin. <u>ERACTIVE EFFECTS:</u> available. <u>ORMATION ABOUT TOXICOCINETICS, METABOLISM AND DISTRIBUTION</u> : mal absorption; Not available. sic toxicokinetics; Not available. <u>HER INFORMATION:</u> t available. - ECOLOGICAL INFORMATION	nd by ingestion. tions in excess of the stated occ e effects on kidneys, iver and ce ther effects may be the same as removal of natural fat from the sh	cupational exposure limit, may result in Intral nervous system. Liquid splashes described in the exposure to vapours	in the eyes may cause	
calculation m	ntal ecotoxicological data on the preparation as such is available. The ecotoxico ethod of the Regulation (EU) No. 1272/2008~2017/776 (CLP).	ological classification for these m	ixture has been carried out by using t	he conventional	
Ac for Dir Ett Iso No No	<u>OTOXICITY</u> <u>ite toxicity in aquatic environment</u> individual ingredients : hethyl ether yl alcohol propyl alcohol <u>observed effect concentration</u> available <u>vest observed effect concentration</u> available	CL50 (OECD 203) mg/l.96hours 4100. Fishes 14200. Fishes 9640. Fishes	CE50 (OECD 202) mg/148hours mg. 4400. Daphnia 5012. Daphnia 13300. Daphnia	50 (OECD 201) 1.72hours 275. Algae > 1000. Algae	
	PERSISTENCE AND DEGRADABILITY. Not available.				
for Dir Eth	obic biodegradation individual ingredients : nethyl ether yl alcohol propyl alcohol	DQO mgO2/g 1041. 1990. 2396.	5 days 14 days 28 days		
	BIOACCUMULATIVE PO TENTIAL: Not available.				
for Dir Eth	accumulation individual ingredients : nethyl ether yl alcohol propyl alcohol	logPow 0.0700 -0.310 0.0500	L/kg 1.7 (calculated) Un 3.2 (calculated) No	tential ikely, low bioaccumulable bioaccumulable	
	MOBILITY IN SOIL: Not available.				
Do OI Ph Ea En	SULTS OF PBT AND VPVB ASSESMENT: es not contain substances that fulfil the PBT/vPvB criteria. HER ADVERSE EFFECTS: one depletion potential. Not available. tocchemical ozone creation potential. Not available. th gbbal warming potential. In case of fire or incineration liberates CO2. docrine disrupting potential. Not available. - DISPOSAL CONSIDERATIONS				
DIS Ta the	POSAL METHODS: te all necessary measures to prevent the production of waste whenever possib environment, dispose at an authorised waste collection point. W aste should be posure controls and personal protection measures, see section 8.		, ,	•	

Disposal containers and methods:

Emptied containers and packaging should be disposed in accordance with currently local and national regulations. The classification of packaging as hazardous waste will depend on the degree of empting of the same, being the holder of the residue responsible for their classification, and forwarding to the appropriate final destination. With contaminated containers and packaging, adopt the same measures as for the product in itself. Ensure the container is completely empty before throwing it away.

Procedures for neutralising or destroying the product. In accordance with local regulations. Do not incinerate closed containers.

In accordance with the Work Health and Safety Act Section 274 and the Work Health and Safety Regulations

www.montanacolors.com	MTN WATER BASED Code: AX0000W 03					
SECTION 14 - TRANSPORT INFORMATION						
<u>UN NUMBER:</u> 1950						
PROPER SHIPPING NAME OR TECHNICAL NAME						
AEROSOLS						
TRANSPORT HAZARD CLASS(ES) AND PACKING GROUP:						
	port by road (ADG 2017) and					
Trans	port by rail (ADG 2017):					
- Clas		2 (Division 2.1)				
	ckaging group: hited quantities:	- 1 L (see total exemptions ADG 3.4)				
	ansport document:	See ADG 11.1				
	ergency information:	See ADG 11.2				
Trans	Transport by sea (IMDG 38-16):					
- Cla	SS:	2 (Division 2.1)				
	ckaging group:	-				
	ergency Sheet (EmS):	F-D,S-U				
	st Aid Guide (MFAG):	620*				
	rine pollutant:	No.				
- 118	ansport document:	Shipping Bill of lading.				
Trans	Transport by air (ICAO/IATA2017):					
- Cla		2 (Division 2.1)				
- Pao	ckaging group:					
- Tra	ansport document:	Air Bill of ading.				
Trans	Transport by inland waterways (ADN):					
	vailable.					
ENVI	ENVIRONMENTAL HAZARDS FOR TRANSPORT PURPOSES:					
	Not applicable (not classified as hazardous for the environment).					
	SPECIAL PRECAUTIONS FOR USER: Ensure that persons transporting the product know what to do in case of accident or spill. Always transport in closed containers that are upright and secure. Ensure adequate					
	ventilation.					
	ADDITIONAL INFORMATION: International Convention on Prevention of Pollution from Ships (MARPOL): # Not applicable.					
	Hazchem (Emergency Action) Code: # 2YE					
SECTION 15 - REGULATORY INFORMATION						

EU SAFETY, HEALTHAND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC: The regulations applicable to this product generally are listed throughout this Safety Data Sheet.

Restrictions on manufacture, placing on market and use: See section 1.2

Control of the risks inherent in major accidents (Seveso III): See section 7.2

Tactile warning of danger: Not applicable (the classification criteria are not met).

<u>Child safety protection:</u> Not applicable (the classification criteria are not met).

Specific legislation on aerosols:

• It is applicable the Directive 75/324/EEC~2013/10/EU, relating to aerosol dispensers and the Directive 87/404/EEC, concerning simple preasure packages.

OTHER REGULATIONS: Not available

In accordance with the Work Health and Safety Act Section 274 and the Work Health and Safety Regulations

SECTION 16 - OTHER INFORMATION

MTN WATER BASED

Code: AX0000W 03

TEXT OF THE PHRASES AND NOTES REFERENCED IN SECTIONS 2 AND/OR 3: Hazard statements according the Regulation (EU) No. 1272/2008-2017/776 (CLP), Annex III:

H220 Extremely flammable gas. H225 Highly flammable liquid and vapour. H280 Contains gas under pressure: may explode if heated. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

Revision: 21/10/2016

Page 11 / 11

ADVICES ON ANY TRAINING APPROPRIATE FOR WORKERS:

It is recommended for all staff that will handle this product to carry out a basic training in occupational risk and prevention, in order to provide understanding and interpretation of Safety Data Sheets and labelling of products as well.

MAIN LITERATURE REFERENCE SAND SOURCES FOR DATA:

- · European Chemicals Agency: ECHA, http://echa.europa.eu/
- Access to European Union Law, http://eur-lex.europa.eu/
- \cdot Industrial Solvents Handbook, Ibert Mellan (Noyes Data Co., 1970).
- \cdot Australian Code for the Transport of Dangerous Goods by Road and Rail, Edition 7.5 (ADG 2017).
- International Maritime Dangerous Goods Code IMDG including Amendment 38-16 (IMO, 2016).

ABBREVIATIONS AND ACRONYMS:

List of abbreviations and acronyms that can be used (but not necessarily used) in this Safety Data Sheet:

- · REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals.
- · GHS: Globally Harmonized System of Classification and Labelling of Chemicals of the United Nations.
- · CLP: European regularion on Classificatin, Labeling amd Packaging of substances and chemical mixtures.
- EINECS: European Inventory of Existing Commercial Chemical Substances.
 ELINCS: European List of Notified Chemical Substances.
- CAS: Chemical Abstracts Service (Division of the American Chemical Society).
- UVCB: Substances of Unknown or Variable composition, complex reaction products or biological materials.
- SVHC: Substances of Very High Concern.
- PBT: Persistent, bioaccumulable and toxic substances.
- vPvB: Very persistent and very bioaccumulable substances.
- VOC: Volatile Organic Compounds.
- · LD50: Lethal dose, 50 percent.
- · LC50: Lethal concentration, 50 percent.
- · UN: United Nations Organisation.
- · ADG: Australian Code for the Transport of Dangerous Goods by Road and Rail.
- · IMDG: International Maritime code for Dangerous Goods.
- · IATA: InternationalAir Transport Association.
- · ICAO: International Civil Aviation Organization.

SAFETY DATA SHEET REGULATIONS: Safety Data Sheet in accordance with the Work Health and Safety Act Section 274 and the Work Health and Safety Regulations.

HISTORIC:	Revision:		
Version: 5	06/11/2015		
Version: 6	21/10/2016		

Changes since previous Safety Data Sheet:

Legislative, contextual, numerical, methodological and normative changes since the previous version of the present Safety Data Sheet are identified by a red-italic hash (#).

The information of this Safety Data Sheet, is based on the present state of knowledge and on current UE and national laws, as the users' working conditions are beyond our knowledge and control. The product is not to be used for other purposes than those specified, without first obtaining written handling instruction. It is always the responsibility of the user to take all necessary steps in order to fulfil the demand laid down in the local rules and legislation. The information in this Safety Data Sheet is meant as a description of the safety requirements of the product and it is not to be considered as a guarantee of the product's properties.